



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 1/14

Print date: 20.07.2012

Revision date: Initial version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: GoldLabel-nutrients-ULTRA pH
Synonym(s): pH control

Relevant identified uses of the substance or mixture and uses advised against use: Liquid plant nutrient.

Product category: Product Category 12 (PC12 Fertilizers),
Sector of Use 21 (SU21 Consumer uses).

Details of the supplier of the safety data sheet

Manufacturer/supplier: Special Mix B.V.
J.P. Poelstraat 1
1483 GC De Rijp
The Netherlands
Tel.: +31 (0) 299 675 711
Fax: +31 (0) 299 671 393
Email: info@goldlabel.nl
Website: www.goldlabel.nl

Further information obtainable from:

Contact person: Hendrik Jongkind
Tel.: +31 (0) 299 671 393
Email: info@goldlabel.nl
Working hours (business days): 09:00-17:00

Emergency telephone number:

The Netherlands:	National Poison Information Centre:	+31 (0) 30 247 88 88
Belgium:	Belgian Poison Centre:	+32 (0) 70 245 245
United Kingdom:	UWIC:	+44 (0) 29 204 16388

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification in accordance with Regulation (EC) no 1272/2008

Skin Corr. 1A H314

Label elements and precautionary statement

Hazard pictograms:



Signal word: Danger.

Hazard statements: H314 Causes severe skin burns and eye damage.

Precautions: P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear eye protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 2/14
Print date: 20.07.2012
Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

P310
P405

Rinse skin with water/shower.
Immediately call a POISON CENTER or doctor/physician.
Store locked up.

Classification in accordance with Directive 67/548/EEC or Directive 1999/45/EC
C; R35

Label elements
Hazard symbols:



Classification of the labelling:

C

Corrosive.

Risk phrase(s):

R35

Causes severe burns.

Safety advice:

S1/2

Keep locked up and out of the reach of children.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S30

Never add water to this product.

S36/39

Wear suitable protective clothing and eye/face protection.

S45

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazard-determining components for labelling:

Sulphuric acid.

Other hazards

Avoid all contact.

Results of PBT and vPvB assessment

PBT: No.

vPvB: No.

SECTION 3: Composition/information on ingredients

Chemical

characterization:

Mixture.

Description:

Preparation based on i.a. sulphuric acid, phosphoric acid and nitric acid.

Hazardous ingredients

Sulphuric acid 37%

CAS#: 7664-93-9

EC#: 231-639-5

Index#: 016-020-00-8

REACH reg.#: -

Content (W/W): 20 - 50 %

Danger (100% material):

1999/45/EC: C; R35.

1272/2008/EC: Skin Corr. 1A; H314.



Material Safety Data Sheet

in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 3/14

Print date: 20.07.2012

Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

Phosphoric acid 59 %

CAS#: 7664-38-2
EC#: 231-633-2
Index#: 015-011-00-6
REACH reg.#: -
Content (W/W): 20 - 50 %
Danger (100% material):
1999/45/EC: C; R34.
1272/2008/EC: Skin Corr. 1B; H314.

Nitric acid 38 %

CAS#: 7697-37-2
EC#: 231-714-2
Index#: 007-004-00-1
REACH reg.#: -
Content (W/W): 10 - 30 %
Danger (100% material):
1999/45/EC: O; R8 - C; R35.
1272/2008/EC: Ox. Liq. 3; H272 - Skin Corr. 1A; H314.

Full text of R-, H- and EUH-phrase(s): see section 16.

SECTION 4: First aid measures

Description of first aid measures

General information:

Remove victim from danger zone and place in lying position.
In case of irregular breathing or respiratory arrest provide artificial respiration.
Remove immediately all contaminated clothing.
Substance is harmful to tissue after continuous contact. Rinsing immediately following exposure can limit injury.
After exposure, always consult a physician.

Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If the victim is not breathing, apply artificial respiration.

Skin contact:

Remove contaminated clothing.
Wash immediately and abundantly with plenty of water and soap.

Eye contact:

Remove contact lenses, if present, and immediately rinse eyes while holding eyelids open for a sufficient period of time (at least 15 minutes) with lukewarm water.
Help the victim with the rinsing process.
Then immediately consult a physician/ophthalmologist.

Ingestion:

Rinse mouth immediately with water (if conscious), and then drink plenty of water. Do not induce vomiting. If the person feels unwell consult a physician or take victim to hospital (show packaging, label or SDS to physician). If the person needs to vomit, keep their head low to prevent vomit from entering the lungs. Place unconscious person on the side in the recovery position. Loosen tight clothing such as a shirt collar, tie, belt or waistband. Rest.

Most important symptoms and effects, both acute and delayed

Inhalation:

Exposure to vapour concentrations of component dusts higher than the MAC value can be harmful to the health. Potential health effects include: corrosive, sore throat and coughing (affects mucous membranes), difficult breathing, shortness of breath, dyspnoea, unconsciousness. Effects may be delayed. Inhalation of aerosol and/or mist may cause pneumonia and/or lung oedema, but only after initial corrosive effects on the mucous membranes of the eyes and/or upper airways have become manifest. Inhalation of high concentrations may cause permanent lung damage. In severe cases, risk of suffocation caused by swelling in the throat. May have an effect on the upper and lower



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 4/14

Print date: 20.07.2012

Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

respiratory tract, causing inflammation and an impaired lung function.
Erosion of teeth may occur.

Skin contact:

Corrosive, redness and pain, severe burns. Signs and symptoms of skin irritation may include redness and a yellow discolouration. Contains phosphoric acid which may be absorbed through the skin.

Eye contact:

May cause irreversible damage to the eyes. Redness and pain, bad eyesight, severe burns.

Ingestion:

Stomach ache, burning sensation (behind sternum), bloody vomit and/or diarrhoea, diarrhoea, nausea, severe blood pressure drop, unconsciousness.

Indication of any immediate medical attention and special treatment needed

Symptomatic treatment and supportive therapy as prescribed. Specific first aid must be administered after poisoning with this substance. The symptoms of pulmonary oedema may only appear a few hours after exposure, and are aggravated by physical exertion. Therefore, medical observation is necessary.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

CO₂, extinguishing powder.

Foam.

Sand.

Adapt extinguishing measures to suit the environment.

Unsuitable extinguishing media for safety reasons:

Powerful water jet.

In case of fire in the immediate vicinity: do not use water-based extinguishing agents.

Special hazards arising from the substance or mixture

During heating or in case of fire, poisonous gases may be produced.

May be released in event of fire:

Nitrogen oxides (NO_x).

Phosphorus pentoxide.

Advice for firefighters

Special protective clothing:

Wear self-contained breathing apparatus.

Other information

Many reactions may cause explosion (and fire).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure sufficient ventilation.

Call in an expert.

Wear protective clothing (acid-resistant) in the vicinity of the material.

Wear a chemical suit and a fresh-air hood/breathing mask (in case of risk of direct contact).

Avoid splashing, do not use high pressure cleaning tools (prevent aerosol formation).

Immediately evacuate the danger zone.

Protect and mark the danger zone.



Material Safety Data Sheet

in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 5/14

Print date: 20.07.2012

Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

Keep unprotected persons at a distance.

Environmental precautions

Do not allow large quantities of product to reach sewage/surface water/groundwater in concentrated form. Notify competent authorities in case of release of large quantities into the environment.

Methods and material for containment and cleaning up

Soak up immediately with absorbent material (sand, dry earth).
Contain spilled product and sweep up with an inert absorption agent or neutralize with bicarbonate (to be added slowly). Then flush the reaction product with plenty of water.
Collect in suitable containers for disposal.

Reference to other sections

Information regarding safe handling – see section 7.
Information regarding personal protective equipment – see section 8.
Information regarding disposal – see section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Handling:

Open and handle package with care.
Wear suitable protective clothing.
Avoid formation of mists.
Ventilation is recommended.
Do not smoke, eat or drink during use.
When diluting always add acid to water, never the other way around.

Information about fire - and explosion protection:

Keep away from ignition sources - do not smoke.

Conditions for safe storage, including any incompatibilities

Storage:

Rinse/clean equipment prior to maintenance activities.
Ensure the safety of the tank installation to limit risks of exposure.
Regularly check the installation for correct operation.
Provide a liquid-resistant floor or store materials in packaging in acid-proof drip-trays.
Make the content of the dip-tray equal to the content of the largest package plus 10% of the other packages.
Restrict access to the storage location to authorised personnel in case of risk of exposure.
Close containers after each use.
Handle empty containers as if they were full.
Do not reuse packaging.

Requirements to be met by storerooms and receptacles:

Keep only in the original container.
Keep in a dark place.
Store in a well ventilated area.
Store in a frost-free environment.
Protect against heat and direct sunlight.
Fire-safe, separated from other substances, tightly closed, no contact with moisture.
Suitable packaging material: Original packaging.
Suitable material for tanks and pipelines: Stainless steel (AISI 316, acid resistant), PVC.

Information about storage in one common storage facility:

Install partitions in the drip tray to prevent acidic and alkaline fertilisers from coming into contact with one another.

Further information about storage conditions:

Keep tanks / packing hermetically closed.
Keep in a cool place.



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 6/14
Print date: 20.07.2012
Revision date: Initial version

Trade name:	GoldLabel-nutrients-ULTRA pH
--------------------	-------------------------------------

Recommended storage temperature 5 - 25 °C.
Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

Product information: 7664-93-9	Sulphuric acid		
TWA 8 h TWA 15 min.	mg/m ³ (ppm)	0.05 (-) 2009/161/EC 0.1 (-) Limit value Germany, Switzerland (inhalable aerosol) 1 (-) Limit value Hungary 2 (-) Limit value Austria, Denmark 3 (-) Limit value Belgium, France, Poland, Spain	

Product information: 7664-38-2	Phosphoric acid		
TWA 8 h TWA 15 min.	mg/m ³ (ppm)	1 (1.3) 2000/39/EC 2 (2.6) 2000/39/EC	

Product information: 7697-37-2	Nitric acid		
TWA 15 min.	mg/m ³ (ppm)	2.6 (1) 2006/15/EC	

Dangerous ingredients with DN(M)EL:

Product information: 7664-93-9 Sulphuric acid	Exposure	Value	Unit	Population / Effects
DN(M)EL	Short-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Short-term inhalation	0.1	mg/m ³	Workers Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Systemic
DN(M)EL	Long-term inhalation	-	mg/m ³	Workers Systemic
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Long-term inhalation	0.05	mg/m ³	Workers Local
DN(M)EL	Short-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Short-term inhalation	-	mg/m ³	General population Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Systemic
DN(M)EL	Long-term inhalation	-	mg/m ³	General population Systemic
DN(M)EL	Long-term oral	-	mg/kg bw/day	General population Systemic



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 7/14

Print date: 20.07.2012

Revision date: Initial version

Trade name:	GoldLabel-nutrients-ULTRA pH
--------------------	-------------------------------------

DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Long-term inhalation	-	mg/m ³	General population Local

Dangerous ingredients with DN(M)EL:

Product information: 7664-38-2 Phosphoric acid	Exposure	Value	Unit	Population / Effects
DN(M)EL	Short-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Short-term inhalation	-	mg/m ³	Workers Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Systemic
DN(M)EL	Long-term inhalation	-	mg/m ³	Workers Systemic
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Long-term inhalation	2.92	mg/m ³	Workers Local
DN(M)EL	Short-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Short-term inhalation	-	mg/m ³	General population Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Systemic
DN(M)EL	Long-term inhalation	-	mg/m ³	General population Systemic
DN(M)EL	Long-term oral	-	mg/kg bw/day	General population Systemic
DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Long-term inhalation	0.73	mg/m ³	General population Local

Dangerous ingredients with DN(M)EL:

Product information: 7697-37-2 Nitric acid	Exposure	Value	Unit	Population / Effects
DN(M)EL	Short-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Short-term inhalation	2.6	mg/m ³	Workers Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Systemic
DN(M)EL	Long-term inhalation	1.3	mg/m ³	Workers Systemic
DN(M)EL	Long-term dermal	-	mg/kg bw/day	Workers Local
DN(M)EL	Long-term inhalation	-	mg/m ³	Workers Local



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 8/14

Print date: 20.07.2012

Revision date: Initial version

Trade name:	GoldLabel-nutrients-ULTRA pH
--------------------	-------------------------------------

DN(M)EL	Short-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Short-term inhalation	1.3	mg/m ³	General population Local
DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Systemic
DN(M)EL	Long-term inhalation	-	mg/m ³	General population Systemic
DN(M)EL	Long-term oral	-	mg/kg bw/day	General population Systemic
DN(M)EL	Long-term dermal	-	mg/kg bw/day	General population Local
DN(M)EL	Long-term inhalation	0.65	mg/m ³	General population Local

Dangerous ingredients with PNEC:			
Product information: 7664-93-9 Sulphuric acid	Value	Unit	Compartment
PNEC	0.0025	mg/l	Fresh water
PNEC	0.00025	mg/l	Marine water
PNEC	-	mg/l	Intermittent releases
PNEC	8.8	mg/l	STP (sewage treatment plant)
PNEC	0.002	mg/kg dwt	Sediment fresh water
PNEC	0.002	mg/kg dwt	Sediment marine water
PNEC	-	mg/kg wwt	Soil
PNEC	-	mg/l	Oral (foodstuffs)

Exposure controls

Personal protective equipment:

Clothes with long sleeves.
Remove immediately all contaminated clothing.
Wash contaminated clothing before reuse.
Store protective clothing separately.
Avoid contact with the eyes.
Wash hands thoroughly after handling this product.

General protective and hygienic measures:

Keep away from foodstuffs and beverages.
Do not eat, drink or smoke when using this product.
The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

If the limit value at the workplace cannot be satisfied based on engineering measures, a combination filter must be worn during short exposure (e.g. gas filter for acid inorganic gasses/vapours, EN 14387 type E or combination filter type B/E/NO/P3).

Hand protection:

Safety gloves.

The glove material (EN374) has to be impermeable and resistant to the product/ the substance/ the preparation (e.g. butyl rubber, PVC). Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves



Material Safety Data Sheet

in accordance with 1907/2006/EC,
Article 31

Version: 1.0

Page: 9/14

Print date: 20.07.2012

Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time can be obtained from the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tight fitting acid resistant safety glasses. Eye shower. Full face mask with safety glasses if splashing may occur.

Body protection:

Wear appropriate (acid resistant) protective work clothing or an apron (when risk of splashing exists). The material damages clothing. Due to fire hazard, rinse contaminated clothing with plenty of water.

Measuring procedures:

In order to establish compliance with an exposure limit and to establish that exposure is properly controlled, it may be necessary to determine the concentration of the substances in the inhalation zone or in the general workspace.

Environmental exposure controls:

Leakage of the material and concentrated solution must be stopped. Leakage of large quantities into sewage, surface waters and groundwater must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

General information

Appearance

Form:	Liquid.
Colour:	Colourless.
Odour:	Odourless.
Odour threshold:	Not determined.

pH-value: Not determined.

Change in condition

Melting point/melting range: Not determined.

Boiling point/boiling range: Not determined.

Flash point: > 93 °C.

Flammability

(solid, gas): Not applicable.

Auto-ignition: Not determined.

Explosion hazard: Not determined.

Explosive limits

Lower: Not determined.

Upper: Not determined.

Vapour pressure: Not determined.

Relative density: Approx. 1.25 (water = 1).

Vapour density: Not determined.

Evaporation rate: Not determined.

Solubility in/miscibility with

water: Fully (at 20 °C).

Partition coefficient

(n-octanol/water): Not determined.

Viscosity

Dynamic: Not determined.

Kinematic: Not determined.



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 10/14
Print date: 20.07.2012
Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

Other information No further relevant information available.

SECTION 10: Stability and reactivity

Reactivity

Chemical stability:

The product is stable if stored and handled as prescribed.

Thermal decomposition/Conditions to be avoided:

No decomposition if used as prescribed. Avoid storing at high temperatures (> 30 °C) to prevent degradation of the material or pressure build-up. Avoid low temperatures (< 10 °C) to prevent crystallization. Material is susceptible to frost.

Possibility of hazardous reactions

Reacts violently with oxidizing agents (chlorates, permanganates), bases and inorganic substances, solvents and many other substances with risk of fire and explosion.

Conditions to avoid

Avoid heat, sparks, open flames, and other sources of ignition. Prevent evaporation in a non-ventilated environment. Avoid formation of mists. Protect against heat and direct sunlight. Protect against frost.

Incompatible materials

Oxidizing agents, bases, metal powders, aluminium, zinc, copper and copper alloys. Corrodes many metals forming combustible gas (formation of hydrogen gas).

Hazardous decomposition products

No hazardous decomposition products are formed if stored under normal conditions. In case of heating or fire, irritating and/or toxic vapours such as nitrogen oxides and phosphorus pentoxide may be released.

SECTION 11: Toxicological information

Toxicology information

Acute toxicity from the components.

LD/LC50 values relevant for classification:

Product information: 7664-93-9	Sulphuric acid	
Oral	LD50	2140 mg/kg (rat)
Inhalation	LC50 (4 h)	375 mg/l (rat) (OECD 403)
Dermal	LD50	-
Product information: 7664-38-2	Phosphoric acid	
Oral	LD50	2000 mg/kg (rat) (OECD 423)
Inhalation	LC50 (1 h)	3,846 mg/l (rat) (OECD 403)
Dermal	LD50	2,740 mg/kg (rabbit)
Product information: 7697-37-2	Nitric acid	
Oral	LD50	430 mg/kg (human)
Inhalation	LC50 (4 h)	> 80 mg/l (rat) (OECD 403)
Dermal	LD50	-



Trade name: GoldLabel-nutrients-ULTRA pH

The following health risk assessment is based on an assessment of the various ingredients in the product.

**Primary irritant effect:
on the skin:**

Exposure to the substance may cause severe chemical burns.

to the eye:

Strong corrosive effect.

Germ cell mutagenicity:

Not classified.

Reproductive and developmental toxicity:

Not classified.

Sensitisation:

Not classified.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

Contains sulphuric acid. Strong inorganic acid mists containing sulphuric acid are considered carcinogenic.

Other information:

No further relevant information available.

SECTION 12: Ecological information

Toxicology information

Ecotoxicity from the components.

Aquatic toxicity:

Product information: 7664-93-9	Sulphuric acid	
Fish	LC50 (96 h)	16 - 28 mg/l (bluegill sunfish)
Water flea	EC50 (48 h)	100 mg/l (OECD 202)
Algae	ErC50 (0-72 h)	> 100 mg/l (OECD 201)
Bacteria	NOEC (21 d)	100 mg/l
Product information: 7664-38-2	Phosphoric acid	
Fish	LC100 (96 h)	3 - 3.25 mg/l (bluegill sunfish)
Water flea	EC50 (96 h)	> 100 mg/l (daphnia magna)
Algae	EC50	-
Bacteria	EC50	-
Product information: 7697-37-2	Nitric acid	
Fish	LC100 (96 h)	3 - 3.5 mg/l (bluegill sunfish)
	LC50 (96 h)	> 100 mg/l
Water flea	EC50 (96 h)	490 mg/l (daphnia magna)
	EC50 (48 h)	180 mg/l (daphnia magna)
Algae	EC50	-
Bacteria	EC50	-

The following ecological risk assessment is based on an assessment of the various ingredients in the product.

Persistence and degradability

Probably largely biodegradable over time.

Behaviour in environmental compartments

Bioaccumulative potential:



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 12/14
Print date: 20.07.2012
Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

Bioaccumulation in organisms is not expected.

Mobility in soil:

No further relevant information available.

Further ecological information

General information:

Water hazard class 1 (German regulation) (assessment by list): slightly hazardous to water. Do not discharge undiluted product into groundwater, surface water or sewage system.

Results of PBT and vPvB assessment

The mixture does not meet all of the assessment criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation:

May be brought to a supervised incineration plant in compliance with local regulations.

EC Regulation for Disposal of Waste (EWC):

06 10 02* WASTES FROM INORGANIC CHEMICAL PROCESSES, wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture; waste containing dangerous substances.

Uncleaned packaging

Recommendation:

Disposal must be made according to official regulations. Empty the packaging with care. Do not contaminate soil, water or environment with the waste container. Comply with local regulations with regard to the recovery or disposal of waste.

SECTION 14: Transport information

Land transport ADR/RID (cross-border)



ADR/GGVSEB class:	8
Hazard identification number:	80
UN number:	3264
Packing group:	II
Label:	8
Special marking:	-
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (mixture contains sulphuric acid)
Tunnel restriction code:	E
Note:	Under certain conditions the supplier enjoys full exemption in accordance with limited and exempted quantities - maximum net quantity per interior package 1 L.



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 13/14
Print date: 20.07.2012
Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

Inland shipping ADN/ADR

ADN/R-class: 8
UN number: 3264
Subsidiary risk
Environmental hazards: -
CMR properties: -
Buoyancy: F

Maritime transport IMDG

IMDG-class: 8
UN number: 3264
Label: 8
Packing group: II
EMS number: F-A, S-B
Marine pollutant: -
Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (mixture contains nitric acid)

Air transport ICAO-TI and IATA-DGR

ICAO/IATA class: 8
UN number: 3264
Label: 8
Packing group: II
Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (mixture contains nitric acid)

Environmental hazards

No.

Special precautions for user

None.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No further relevant information available.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

-

EU regulations and directives which affect this mixture (not yet directly or indirectly mentioned):

Directive 89/686/EEC	Personal protective equipment.
Directive 98/24/EC	Risks related to chemical agents at work.
Regulation 2003/2003/EC	Concerning fertilisers. The material is an EC FERTILIZER classified as type NPK fertilizer, liquid - nitrogen (N) + phosphorus (P) + potassium (K) + sulphur (S) - fertilizer, NP: 3-5 + 10 SO ₃ .
Regulation 1272/2008/EC	Annex VI 1.1.3.1 Note B.

Chemical safety assessment

A chemical safety assessment has not been carried out.



Material Safety Data Sheet
in accordance with 1907/2006/EC,
Article 31

Version: 1.0
Page: 14/14
Print date: 20.07.2012
Revision date: Initial version

Trade name: GoldLabel-nutrients-ULTRA pH

SECTION 16: Other information

This information is based on the current state of our knowledge. It should not be construed as any guarantee of product characteristics, nor does it establish a legally valid contractual relationship.

List of relevant R-, H- and EUH-phrases from sections 2 and 3

R8	Contact with combustible material may cause fire.
R34	Causes burns.
R35	Causes severe burns.
H272	May intensify fire; oxidiser.
H314	Causes severe skin burns and eye damage.

Document history

Printed on:	6 June 2013.
Previous edition:	Initial version.
Version:	1.0.

Abbreviations and acronyms:

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID:	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
IATA-DGR:	Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO:	International Civil Aviation Organization
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO)
P:	Marine Pollutant
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
EC50:	Half maximal effective concentration
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent
OEL:	Occupational Exposure Limit
NOEC:	No Observed Effect Concentration
vPvB:	Very Persistent and Very Bioaccumulative
PBT:	Persistent, Bioaccumulative and Toxic substance
EWC:	European Waste Catalogue
TWA:	Time-Weighted Average, limit value pertaining to the MAC value
DNEL:	Derived No-Effect Level
DMEL:	Derived Minimal Effect Level
PNEC:	Predicted No-Effect Concentration